=> IFW: Scan as Doc Code: SRNT <= Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

## **Serial Number:**

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

° PALM INTRANET

Day : Monday Date: 4/10/2006

Time: 10:44:45

## **Inventor Information for 10/763540**

| Inventor Name   | City     | State/Country |  |  |  |  |  |  |
|---|----------|---------------|--|--|--|--|--|--|
| LI, GUANN-PYNG  | IRVINE   | CALIFORNIA    |  |  |  |  |  |  |
| BACHMAN, MARK   | IRVINE   | CALIFORNIA    |  |  |  |  |  |  |
| LEE, ABRAHAM PHILLIP  | IRVINE   | CALIFORNIA    |  |  |  |  |  |  |
| Applin Info Contents: Petition Info Atty/Agent Info Continuity Data Foreign Data  Search Another: Application# Search or Patent# Search |          |               |  |  |  |  |  |  |
| The second se                         | or PG PU | UBS # Search  |  |  |  |  |  |  |
| Attorney Docket #   |          | Search        |  |  |  |  |  |  |
| Bar Code #  | Search   |               |  |  |  |  |  |  |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 200600663  | HS_PG  | 20060330 | 5  | Method and structures for testing a            | 324/75  | 1                   | Bachman; Mark A    |
|---------------|--------|----------|----|--|---------|---------------------|--------------------|
| 03 200000003  | 03-10  | 20000550 |    | semiconductor wafer prior to perfe             |         |                     | al.                |
|               |        |          |    | flip chip bumping process                      |         |                     | ai.                |
| TIG 000600512 | LIC DC | 20060200 | 22 | Microfluidic device for the encaps             | 424/02  | 125/11              | Logi Abroham Dh    |
| US 200600513  | US-PG  | 20060309 | 23 |  |         | 433/44              |                    |
|               |        | 2006020  | -  | of cells with low and high cell den            |         | 205/60              | al.                |
| US 200600429  | US-PG  | 20060302 |    | Microfluidic dynamic vapor contro              | 205/74  | 205/68              | Bachman; Mark e    |
|               |        |          |    | system   | 222/24  |                     |                    |
| US 200502484  | US-PG  | 20051110 |    | High isolation tunable MEMS cap                | 333/26  |                     | Qian, Jiangyuan e  |
|               |        |          |    | switch   |         |                     |                    |
| US 200502449  | US-PG  | 20051103 |    | Automated, programmable, high                  | 435/28  |                     | Li, Guann-Pyng e   |
|               |        |          |    | throughput, multiplexed assay syst             |         |                     |                    |
|               |        |          |    | cellular and biological assays                 |         |                     |                    |
| US 200502374  | US-PG  | 20051027 |    | Chemical modifications to polyme               | 351/16  |                     | Allbritton, Nancy  |
|               |        |          |    | surfaces and the application of pol            |         |                     |                    |
|               |        |          |    | grafting to biomaterials                       |         |                     |                    |
| US 200502253  | US-PG  | 20051013 |    | Compensation units for reducing t              | 330/28  |                     | Gao, Huai et al.   |
| 00 2003 02233 |        | 20021012 |    | effects of self-heating and increasi           |         |                     |                    |
|               |        |          |    | linear performance in bipolar trans            |         |                     |                    |
| US 200501226  | LIC DG | 20050609 |    | On-chip esd protection circuit for             | 361/56  |                     | Ma, Yin Tat et al. |
| 03 200301220  | 03-1 0 | 20030007 |    | compound semiconductor heteroju                |         |                     | ,                  |
|               |        |          |    | bipolar transistor rf circuits                 |         |                     |                    |
| 110 200500677 | TIC DC | 20050221 |    | Methods and system for reinforcin              | 257/76  | 257/E2              | Bachman Mark A     |
| US 200500677  | 03-10  | 20030331 |    |  | 231110. | 257/E2              | al                 |
| TYG 200500(2) | TIC DC | 20050224 |    | bond pad  MEMS fabrication on a laminated      | 3/3/70  |                     |                    |
| US 200500626  | US-PG  | 20050324 |    |  | 343/10  | 343/10 <sup>1</sup> | Cetilier, Bear A.  |
|               |        | 20050210 | ļ  | substrate  Microfluidic devices for controlled | 126/19  | 422/10              | Las Abroham Dh     |
| US 200500322  | US-PG  | 20050210 | Ì  | ľ  |         | 422/10              | al.                |
|               |        |          |    | viscous shearing and formation of              |         |                     | ai.                |
|               |        |          | ļ  | amphiphilic vesicles                           | 600/50  | 40.4/4.4            | T. C D             |
| US 200402204  | US-PG  | 20041104 |    | Micro medical-lab-on-a-chip in a l             | 600/58  |                     | Li, Guann-Pyng e   |
|               |        |          |    | as a drug delivery device and/or a             |         | 600/30              |                    |
|               |        |          |    | monitoring device                              | ·       | 600/31              |                    |
|               |        |          |    |  |         | 600/34              |                    |
|               |        |          |    |  |         | 600/36              |                    |
|               |        |          |    |  |         | 600/43              | l                  |
|               |        |          |    |  |         | 600/47              | 1                  |
|               |        |          |    |  |         | 600/53              |                    |
|               |        |          |    |  | ]       | 604/77              | 1                  |
|               |        |          |    | _  |         | 604/89              |                    |
| US 200401829  | US-PG  | 20040923 |    | Structure and method for bonding               | 228/22  | 228/21              | Bachman, Mark A    |
|               |        |          |    | copper interconnect structures                 |         | 257/E2              | al.                |
|               |        |          |    |  |         | 257/E2              |                    |
| US 200401388  | US-PG  | 20040715 | 1  | Integrated, intelligent micro-                 | 702/27  | 530/33              | Li, Guann-Pyng e   |
| 35 200 101300 | 55.0   |          |    | instrumentation platform for prote             | 1       |                     |                    |
|               |        |          |    | crystallization                                |         |                     |                    |
| US 200400584  | LIS-PG | 20040325 | 1  | Fast electrical lysis of cells and ra          | 435/17  | 204/45              | Albritton, Nancy   |
| 05 200400364  | 00-1 U | 20070323 |    | collection of the contents thereof             |         | 204/60              |                    |
|               |        |          |    | Controlled of the contents thereof             | 1       |                     |                    |

, ,

| capillary electrophoresis 435/28 435/28  |                    |
|--|--------------------|
|  | 1                  |
|  |                    |
| 435/30   |                    |
| 435/30   |                    |
| US 200302342 US-PG 20031225   Magnetohydrodynamic fluidic sys 210/63 210/51 L  | Lee, Abraham P.    |
|  |                    |
| 417/50   |                    |
| 422/12   |                    |
| 422/63   |                    |
| 435/28   |                    |
| 436/18   |                    |
| 436/53   |                    |
|  | Li, Guann-Pyng e   |
| metrology of microfluidic chips  | , ,                |
|  | Bachman; Mark A    |
| 257/76 al  |                    |
| 257/E2   |                    |
| 257/E2   |                    |
|  | Li; Guann-Pyng e   |
| metrology of microfluidic chips  | on, Guann 1 ying q |
|  | Lee; Abraham P.    |
| US 6780320 B USPA 20040824   Magnetohydrodynamic fluidic sys 210/63 210/51 L 417/48  |                    |
| 417/50   |                    |
| 417/30   |                    |
| 422/69   |                    |
| 435/28   |                    |
| 435/28   |                    |
| 1  | Chu; Charles Ye    |
| OB 02 11 100 B 001 11 2 001 000 0  |                    |
| memoral of the state of the sta | et al.             |
| 417/57   | Ol T-a Chian       |
| 00 501755014 001111 15510521   | Chen; Tze-Chians   |
| and its method of fabrication 257/59   |                    |
| 257/E2   |                    |
| 257/E2   |                    |
| 257/E2   |                    |
| 00   1100   514   00111   1   1   1   1   1   1   1   1  | Vicino; Robert K   |
| 40/215   |                    |
| 40/538   |                    |